

CONTINENTAL
GIRBAU®

IMPORTANT: To Prevent Oversudsing, DO NOT
Use More Than 1/4 cup Detergent.

⚠ DANGER

Do not allow children to operate machine.

DOOR IS EQUIPPED WITH INTERLOCK SAFETY DEVICE

Never try to open the door if:
= Cycle has not finished.
= Drum has not completely stopped.
= Water has not been completely drained.

Control panel with digital display and buttons:

- Buttons: ADD PRODUCTS, SUPERWASH, TIDIO, WARM, COLOR FAST, PERM PRESS, STOP, WASH, RINSE, SPIN, END OF CYCLE / OPEN DOOR.
- Temperature selection: HOT (Caldissimo, White, Steam), COLD (Frio, ColdSoft, Normal).
- Display: 3:30
- Temperature indicator: 25°C

CONTINENTAL
GIRBAU INC.

M-SERIES EM025 HIGH-PERFORMANCE WASHER-EXTRACTOR FOR VENDED LAUNDRIES

Maximizing Energy Efficiency & Productivity

EM025


M-SERIES EM025 HIGH-PERFORMANCE CARD- & COIN-OPERATED WASHER

Delivering greater efficiency and G-force extract speeds than most similarly sized hard-mount washers, the 25-pound capacity M-Series Washer (EM025) offers a highly programmable ProfitPlus™ Control packed with customer-craved extras! Compact and durable, the EM025 outperforms traditional top-load washers.

UNIQUE DESIGN


HIGH-SPEED EXTRACT IMPROVES CUSTOMER TURNOVER

The EM025 generates extract speeds up to 108 G-force. By comparison, most hard-mount washers only reach speeds of 75-100 G-force. Higher extract speeds remove more water from every load—reducing dry time and resulting natural gas consumption. In turn, customers spend less time doing laundry, which boosts customer turnover. Laundry is processed more quickly, using less energy!



SMALLER FOOTPRINT DESIGN

The EM025 occupies approximately 25 percent less space when compared to most washers with similar basket capacities. This results in more washers and productivity per square foot.




SINGLE-PHASE POWER

Operating on single-phase power with inverter technology, the EM025 consumes less energy and is less costly to install than the industry-standard three-phase power units. The EM025 plugs into a standard electrical outlet for quick installation.

WATER CONSERVING FEATURES

The EM025 features a sump-less design, which saves up to three gallons of water per fill, compared with washers equipped with an outer tub sump. Additionally, with AquaFall™, water is released into the load through holes in the drum lifters for better saturation and cleaning. This makes rinsing possible using less water, which equates to considerable savings in water usage and water heating costs.



OPTIMUM DOSING AND TEMPERATURE MANAGEMENT

The EM025 offers four dosing compartments (two for powder and two for liquid products). Cleaning products are always diluted in a collector before being introduced into the washer drum, avoiding direct contact with laundry. The AquaMixer™ system, a hot and cold water mixer, obtains very precise bath temperatures – providing optimum temperature management and minimizing hot water consumption.

EASE OF MAINTENANCE

Nearly all components are accessible via the front or top cover of the washer, which are easily removed without interfering with detergent dispensers. Bearings are lubricated for a lifetime, the poly-v belt needn't be tightened, and bearings and seals are easily replaced. Component accessibility is quick and easy.



Component Accessibility

QUALITY CONSTRUCTION

The EM025 features inner and outer drums of durable AISI-304 stainless steel, oversized bearings and bearing housings and a quality sealing system. They are engineered using plated steel and as few welds as possible to attain unmatched strength. The oversized door, which allows for easy loading and unloading, is equipped with heavy-duty, bolt-style door hinges to withstand the rigors of constant use. No wonder the EM025 is backed by a 3-year limited parts coverage, 10-year key component coverage and a 4-year bearing replacement labor coverage.



MEF
Modified Energy Factor
(cubic feet per kilowatt hour per cycle)

1.53

WCF
Total Water Consumption Factor
(gallons per cycle per cubic feet)

5.68

* Modified Energy Factor (MEF) is measured in cubic feet per kilowatt-hour per cycle. Water Consumption Factor (WCF) is measured in gallons per cycle per cylinder cubic feet. MEF and WCF statistics are according to Department of Energy (DOE) testing standards report by Intertek, an independent testing laboratory.


INNOVATIVE TECHNOLOGY

PROFITPLUS™ OFFERS CUSTOMER-COVETED 'EXTRAS'

The ProfitPlus™ Control – which works seamlessly with card technology or coins – brings more washing options and cycle features to the customer. It offers four primary cycle options: SUPERWASH, an extra-long cycle for heavy soil; HOT, for whites; WARM for colorfast and permanent press items; and COLD for colors. It also allows the customer to add an EXTRA WASH, EXTRA RINSE and/or DELICATE CYCLE.

PROFITPLUS™ DELIVERS UNSURPASSED PROGRAMMABILITY

It offers four individually modifiable programs that allow programmability of G-force extract, mechanical action, wash temperature (by degree), water levels and wash/rinse/extract time in each phase. The control's flexibility allows multi-level vend pricing on the same machine depending on the wash program selected, time of day, or day of the week. Additionally, owners can program variables within the extra cycle options, including extra wash or rinse time in minutes, the addition of another bath and G-force extract speed. Through proper programming, self-service laundries curb gas and water usage and effectively shorten the time it takes customers to complete their laundry.



PROGRAMMING TAKES MINUTES; PROFITS CLIMB

Rather than all day, it takes just a few minutes to program an entire laundry using ProfitPlus. The Control integrates networking, remote programming and payment-system interface to make quick programming possible, and in doing so, fulfills a host of owner needs and customer cravings. In seconds, from a remote computer, netbook, iPad or cell phone, owners can configure pricing and specials, run reports, schedule routine maintenance flushes, and monitor the status of the system and equipment in real-time. Owners can instantaneously download the modifications onto specific machines, or an entire store. Suddenly store management is greatly simplified using less time!

PRODUCT SPECIFICATIONS

Capacity lbs (kg)	25 (11)
Cylinder Diameter inch (mm)	21.1 (536)
Cylinder Depth inch (mm)	17.3 (439)
Cylinder Volume cu ft (dm ³)	3.5 (99)
Net Weight lbs (kg)	317 (144)
Crated Weight lbs (kg)	342 (155)
Machine Width inch (mm)	27 (685)
Machine Depth inch (mm)	29.9 (760)
Machine Height inch (mm)	42.5 (1080)
Door Opening inch (mm)	12.7 (322)
Floor to Door inch (mm)	15.4 (390)
Shipping Dimensions inch (mm) (WxDxH)	28.1 x 32.7 x 49.2 (715 x 830 x 1250)
Control Options	ProfitPlus™
Washing Speeds rpm	50
Spin Speeds rpm	100/300/400/500/600
G-force	0.75/3/27/48/75/108
Drain Diameter inch (mm)	2 (51)
Water Inlets inch (mm)	3/4 (19)
Recommended Water Pressure PSI (bar)	30-60 (2-4)
Water Flow gal/min (l/min)	8 (30)
Motor Power kW	0.35

PERFECTLY SUITED FOR YOUR BUSINESS



With a minimum level of water, and recirculation through perforated blades, AquaFall provides a cascade flow, increasing washing action, reducing cycle time and minimizing water usage.



Aquamixer further improves wash action by mixing hot and cold water to achieve very precise bath temperatures. This saves energy and reduces wash time!



This system of deep punched holes without sharp edges ensures that linen is treated delicately. Smooth Touch aids the evacuation of water during the final spin. This results in very low residual moisture levels. The drum is constructed of AISI-304 stainless steel.



This function adjusts water consumption and dosing time proportionally, depending on the program selected and the weight of the load. This saves water, energy and chemicals.



An exclusive management and communication system – between the inverter, motor and microprocessor – ensures that the whole assembly is properly balanced for a longer life. GDrive works to save energy, while reducing noise, vibration and component fatigue.



E-Series washers have dual safety features. The washer is only active if a closed-door and locked-door signal have been validated. In each washing cycle the system checks the status (open/closed) of the safety controls.

THE BOTTOM LINE – BOOSTED PRODUCTIVITY

The Continental 25-pound capacity M-Series Washer-Extractor delivers a high-performance small-load solution vended laundries looking to increase profits and productivity, while decreasing utility costs

* Product specifications and details are subject to change without notice. For the most current and complete technical specifications, architectural line drawings and warranty information, please visit www.continentalgirbau.com.

CONTINENTAL GIRBAU INC. & GIRBAU GROUP

Continental Girbau Inc. (Continental) was established in 1995 as the North American subsidiary of the commercial laundry equipment manufacturer, Girbau Group, headquartered in Vic, Spain. Family owned, Girbau employs more than 600 people throughout its corporate headquarters in Vic and 14 subsidiaries throughout the world. It markets its industrial and commercial laundry products to more than 90 countries worldwide.



THE TOTAL LAUNDRY SOLUTION

Continental delivers the total laundry solution to vended, on-premise and industrial laundries throughout North America. As the provider of highly-efficient batch tunnel washers, washer-extractors, drying tumblers, feeders, ironers, folders and related machinery, Continental serves the complete laundry production and efficiency needs of virtually any application. Proven durable and reliable, Continental laundry systems are engineered for unrivaled productivity, efficiency and ease of use.

OUR MISSION: YOUR SUCCESS

Continental's mantra – "Our Mission: Your Success" – reflects the company's commitment to its distributors and customers. We offer robust laundry systems backed by unrivaled customer care.

WARRANTY

M-Series EM025 Washer-Extractors are backed by an industry-leading 10/4/3-year ContinentalCare™ warranty.

FINANCING

Financing allows you to retain full ownership of your business and its assets while helping to preserve your cash, liquidity and revolving lines of credit for emergency use, working capital and other investments. Through CustomSelect™ Financing, Continental Girbau offers flexible financing and competitive fixed rates to all qualifying applicants.

ENVIRONMENTALLY FRIENDLY

Continental laundry products meet rigorous environmental and safety standards established by the International Organization for Standardization (ISO). Ever focused on laundry efficiency, Continental Girbau is a member of the U.S. Green Building Council (USGBC), a 501(c)(3) nonprofit that developed the Leadership in Energy and Environmental Design (LEED) Green Building Rating System.



CONTINENTALCARE™ | 3-YR LIMITED PARTS WARRANTY
BUY WITH COMPLETE CONFIDENCE | 10-YR KEY COMPONENT WARRANTY
4-YR BEARING LABOR WARRANTY

DISTRIBUTED BY:



www.continentalgirbau.com • 800-256-1073
2500 State Road 44 • Oshkosh, WI 54904 • 920-231-8222 • Fax 920-231-4666