

CONTINENTAL
GIRBAU®

⚠ DANGER

Do not allow children
to operate machine.

DOOR IS EQUIPPED WITH INTERLOCK SAFETY DEVICE

Never try to open the door if:

- Cycle has not finished.
- Drum has not completely stopped.
- Water has not been completely drained.



ExpressWash

EXPRESSWASH HIGH-PERFORMANCE WASHER-EXTRACTORS FOR VENDED LAUNDRIES

Continental ExpressWash Washer-Extractors deliver unmatched energy efficiency to return dollars to your bottom line. Advanced engineering brings highspeed performance, a simple-to-install freestanding design, exclusive features and unrivaled programmability to vended laundries.

EH020 | EH030 | EH040 | EH055 | EH090

BLOWING THE DOORS OFF PERFORMANCE! EFFICIENCY REDEFINED

The average vended laundry dedicates more than 26 percent of its gross revenue to utilities, according to a Coin Laundry Association Industry Survey*. No wonder 66 percent of the storeowners surveyed say skyrocketing utility costs are their primary concern. ExpressWash High-Performance Washer-Extractors are designed to alleviate rising operational costs. They curb gas, water and electricity usage while increasing store capacity and enhancing the customer's experience. How? ExpressWash Washers bring together a number of unique engineering elements, including a freestanding and sump-less design, high-speed G-force extract, exclusive AquaFall™ and AquaMixer™ systems, and superior owner programmability to cut utility costs, boost customer turnover, and save customers' time.

Thanks to high-speed technology, ExpressWash Washers allow customers to complete their laundry in 60 minutes or less—leaving machines open for another paying customer. This timesaving convenience is a powerful way to differentiate a store from its competition. ExpressWash Washers deliver more washing capacity from a smaller footprint because more washers fit into your store. Making up more than 24 percent of the average laundry's gross revenue, profit-guzzling costs, such as rent, are reduced*.

* According to the Coin Laundry Association's 2012 Industry Survey.




BOOST YOUR VENDED LAUNDRY'S PROFIT POTENTIAL WITH ENERGY-EFFICIENT EXPRESS



* MEF = Modified Energy Factor, WCF = Water Consumption Factor. See back panel for details.

HOW DO THEY COMPARE? EXPRESS




Less Water Usage

Stingy on water, ExpressWash Washers use up to 51 percent less water per load! A sump-less design, exclusive AquaFall system and highly programmable control combine to slash water usage while maintaining wash quality. This translates into significant savings in water usage costs.




EXPRESSWASH HIGH-PERFORMANCE WASHER-EXTRACTORS

EXPRESSWASH HIGH-PERFORMANCE WASHERS VS. HARD-MOUNT WASHERS*




Less Water to Heat

Less water used equates to less water to heat—significantly lowering water heating costs.



Less Electricity Consumption

ExpressWash Washers operate with an advanced G-drive™ System and therefore most models consume less energy than industry standard hard-mount machines.



Less Dryer Gas Consumption

The high-speed extract of ExpressWash removes significantly more water per load—decreasing dry time. Reducing dry time can cut the gas consumed to dry a load by up to 65 percent. This savings in gas usage can save significantly in associated gas costs—bolstering profits.

* Information based on engineering information available to Continental Girbau at the time this brochure was produced. Models used in comparison: 20-pound capacity (L1018CM 3-phase vs. EH020CC 1-phase); 30-pound capacity (L1030CM 3-phase vs. EH030 1-phase); 40-pound capacity (L1040CM 3-phase vs. EH040CC 1-phase); 55-pound capacity (L1050CM 3-phase vs. EH055CC 3-phase); 90-pound capacity (L1075CM 3-phase and L1125CM 3-phase vs. EH090CC 3-phase). See back panel for complete disclaimer.

MAXIMIZING EFFICIENCY FOR INCREASED PROFIT POTENTIAL

DO MORE WITH LESS

ESTIMATED STORE SAVINGS EXAMPLES

3500 sq. ft store

Equipment Mix

Hard-Mount Store:** 18-DoubleLoad, 12-TripleLoad, 14-ExtraLoad, 4-ExtraLoad Plus, 4-PowerLoad, 24-2x30 Stack Dryers, 4-75-pound dryers
ExpressWash Store: 18-EH020, 12-EH030, 14-EH040, 4-EH055, 4-EH090, 24-2x30 Stack Dryers, 4-75-pound dryers

Program

1 wash, 2 rinses, 6-minute final extract

	Utilities Consumed per Store Turn			Utilities Consumed per Year (4.5 turns/day, 365 days/year)				Utility Costs per Year		
	Hard-Mount Store	Express Store	Express Savings	Hard-Mount Store	Express Store	Express Savings		Hard-Mount Store	Express Store	Express Savings
Water Usage** (gal.)	2,454	1,343.77	1,110.23	4,030,695	2,207,146	1,823,549	Water Cost (\$4.67/1000 gal.)	\$18,823.35	\$10,307.37	\$7,692.72
Hot Water Usage (gal.)	490.8	268.75	222.05	806,139	441,429	364,710	Water Heating Cost (\$1.24/therm)	\$5,418.90	\$2,967.30	\$1,983.75
Electricity Usage (kW)	29.75	31.59	(1.84)	48,863	51,893	(3,030)	Electricity Cost (\$0.10/kW/h)	\$5,203.94	\$5,526.62	(\$322.68)
Gas Usage (therms)	27.91	11.93	15.98	45,848	19,601	26,248	Dryer Gas Costs (\$1.24/therm)	\$51,432.94	\$21,337.45	\$30,095.49

TOTAL ESTIMATED EXPRESSWASH ANNUAL SAVINGS: \$40,740

2500 sq. ft store

Equipment Mix

Hard-Mount Store:** 22-DoubleLoad, 6-TripleLoad, 7-ExtraLoad, 2-ExtraLoad Plus, 2-PowerLoad, 17-2x30 Stack Dryers, 2-75-pound dryers
ExpressWash Store: 22-EH020, 6-EH030, 7-EH040, 2-EH055, 2-EH090, 17-2x30 Stack Dryers, 2-75-pound dryers

Program

1 wash, 2 rinses, 6-minute final extract

	Utilities Consumed per Store Turn			Utilities Consumed per Year (4.5 turns/day, 365 days/year)				Utility Costs per Year		
	Hard-Mount Store	Express Store	Express Savings	Hard-Mount Store	Express Store	Express Savings		Hard-Mount Store	Express Store	Express Savings
Water Usage** (gal.)	1,532.5	854.98	677.52	2,517,131	1,404,301	1,112,830	Water Cost (\$4.67/1000 gal.)	\$11,755	\$6,558.09	\$5,196.92
Hot Water Usage (gal.)	306.5	171	135.5	503,426	280,860	222,566	Water Heating Cost (\$1.24/therm)	\$3,384.05	\$1,887.95	\$1,496.10
Electricity Usage (kW)	18.11	20.26	(2.15)	29,741	33,278	(3,536)	Electricity Cost (\$0.10/kW/h)	\$3,167.45	\$3,544.06	(\$376.62)
Gas Usage (therms)	18.03	7.91	10.12	29,609	12,986	16,623	Dryer Gas Costs (\$1.24/therm)	\$33,331.48	\$14,214.91	\$19,116.57

TOTAL ESTIMATED EXPRESSWASH ANNUAL SAVINGS: \$25,433

1500 sq. ft store

Equipment Mix

Hard-Mount Store:** 12-DoubleLoad, 8-TripleLoad, 4-ExtraLoad, 2-ExtraLoad Plus, 13-2x30 Stack Dryers
ExpressWash Store: 12-EH020, 8-EH030, 4-EH040, 2-EH055, 13-2x30 Stack Dryers

Program

1 wash, 2 rinses, 6-minute final extract

	Utilities Consumed per Store Turn			Utilities Consumed per Year <small>(4.5 turns/day, 365 days/year)</small>				Utility Costs per Year		
	Hard-Mount Store	Express Store	Express Savings	Hard-Mount Store	Express Store	Express Savings		Hard-Mount Store	Express Store	Express Savings
Water Usage** (gal.)	983	522.98	460.02	1,614,578	858,991	755,586	Water Cost (\$4.67/1000 gal.)	\$7,540.08	\$4,011.49	\$3,528.59
Hot Water Usage (gal.)	196.6	104.6	92	322,916	171,798	151,117	Water Heating Cost (\$1.24/therm)	\$2,170.65	\$1,154.83	\$1,015.82
Electricity Usage (kW)	12.08	11.64	0.44	19,842	19,112	730	Electricity Cost (\$0.10/kW/h)	\$2,113.23	\$2,035.44	\$77.78
Gas Usage (therms)	12.2	4.99	7.21	20,043	8,198	11,847	Dryer Gas Costs (\$1.24/therm)	\$22,682.51	\$9,007.99	\$13,674.53

TOTAL ESTIMATED EXPRESSWASH ANNUAL SAVINGS: \$18,297

How much can ExpressWash Washers positively impact a store's profitability? By including ExpressWash Washers, a 3,500-square-foot laundry can save approximately \$40,740 per year in utility costs over the same laundry with only hard-mount, front-loading washer-extractors (see chart above).

* Continental L-Series hard-mount washer data used for comparison. L-Series Washers are more energy-efficient than many other hard-mount washer models.

** Water usage figures are based on 1 wash, 2 rinse programs tested with 100 percent cotton load (margin of error +/- 6 percent). Water costs, water heating costs, electricity costs and dryer gas costs are based on rates deemed by Continental Girbau, Inc (CGI) to be a national average. Actual rates and savings will depend on utility rates in your location.


*** All calculations are derived from engineering information available to CGI at the time this brochure was produced. CGI makes no guarantee of actual results as conditions may vary. See back panel for disclaimer.

EXPRESSWASH ADVANCED ENGINEERING DELIVERS UNSURPASSED ENERGY-EFFICIENCY AND PERFORMANCE!

The freestanding design makes for simple installation; high-speed extract curbs gas consumption; sump-less design and AquaFall™ ensure a quality clean using less water; and the control provides for superior programmability.

FREESTANDING DESIGN


ExpressWash offers a refreshing freestanding design that simplifies installation and enables extract speeds of up to 381 G-force, about 250 G-force more than most hard-mount washers. The super-speed extract removes more water from each load—reducing dryer gas consumption and slashing the time required to do laundry.



ProfitPlus® Control

The ProfitPlus® Control – which works seamlessly with card technology or coins – brings more washing options and cycle features to the customer. It offers four primary cycle options: SUPERWASH, an extra-long cycle for heavy soil; HOT, for whites; WARM for colorfast and permanent press items; and COLD for colors. It also allows the customer to add an EXTRA WASH, EXTRA RINSE and/or DELICATE CYCLE. ProfitPlus gives customers what they want—more control over how their laundry is washed. This differentiates your laundry from the competition – helping you attract and retain customers!

Using ProfitPlus, owners gain total control over the wash process! Highly programmable, the control allows owners to lower water, natural gas and electricity usage – cutting operational costs. The ProfitPlus Control offers four individually modifiable programs that allow programmability of G-force extract, mechanical action, wash temperature (by degree), water levels and wash/rinse/extract time in each phase. The control's flexibility allows multi-level vend pricing on the same machine depending on the wash program selected, time of day, or day of the week. Additionally, owners can now program variables within the EXTRA WASH, EXTRA RINSE and DELICATE CYCLE options, including the extra wash or rinse time in minutes, the addition of another bath, vend price and G-force extract speed.



PROGRAMMING TAKES MINUTES

Rather than all day, it takes just a few minutes to program an entire laundry using Continental's new ProfitPlus vended control. ProfitPlus integrates networking, remote programming and payment-system interface to make quick programming possible, and in doing so, fulfills a host of owner needs and customer cravings. In seconds, from a remote computer, tablet or cell phone, owners can configure pricing and specials, run reports, schedule routine maintenance flushes, and monitor the status of the system and equipment in real-time. Owners can instantaneously download the modifications onto specific machines, or an entire store. Suddenly store management is greatly simplified using a lot less time!

A RETROFIT KIT FOR EXISTING VENDED WASHERS

Available for all older model ExpressWash®, the ProfitPlus Income Acceleration Kit is an affordable way to significantly improve the profitability, efficiency, programmability and performance of existing washers. The retrofit kit takes 15 minutes to install, offers a quick return on investment and greatly enhances washer profitability, customer appeal and an owner's ability to quickly program and manage multiple washers simultaneously. The ProfitPlus Control Acceleration Kit was engineered and designed to improve the profitability of existing washers already installed across North America.

SERIAL COMMUNICATION

ExpressWash Washers feature an optional serial communication feature that gives card-operated laundry owners control over many of their store's functions remotely. Washer and payment system features, including vend pricing, cycle time, water levels, bath temperatures, and diagnostics, can be reviewed and modified by storeowners via a secure Internet connection. Multi-level vend pricing, time of day and day of week pricing options can be changed easily—dramatically expanding income and efficiency potential!

SUMP-LESS ENGINEERING

Most washers gather water in a sump at the base of the washer drum to heat it before delivering it into the load. This requires filling both the sump and the washer drum. ExpressWash Washers are designed without a sump—saving up to 3 gallons of water with each fill. In addition to conserving water, the sump-less design also saves the energy required to heat the water. Over the life of the machine, the combined water and energy savings is substantial when compared to machines with an outer tub sump.



AQUAFALL™ AND AQUAMIXER™

Continental's exclusive AquaFall and AquaMixer systems further curb water usage. AquaFall releases water into the load via holes in the drum lifters. As the drum turns, lifters release water from above to better penetrate fabric. Most other frontloads use lifters to simply drop fabric into a pool of water at the bottom of the washer drum. With ExpressWash, laundry is saturated from above and below. This unique system cuts water usage and rinse cycle times while improving the quality of the wash. AquaMixer further improves efficiency by mixing hot and cold water before entering the drum. This achieves very precise water temperatures—offering greater control over hot water consumption.



SENSIBLE DETERGENT DISPENSING

ExpressWash Washers feature a detergent dispenser with up to four compartments—one for powder, one for optional pre-wash and two for liquid products. An oversized seal around the dispenser keeps bleach, softeners and detergents where they belong and a powerful compartment flushing system reduces maintenance by thoroughly cleaning each compartment after every cycle. An automatic liquid chemical injection option is available for storeowners that want one more way to differentiate their store from the competition.


HIGH-QUALITY PRODUCT – BUILT TO LAST

LARGE, HEAVY-DUTY DOOR

The oversized door on ExpressWash, which allows for easy loading and unloading, is equipped with a heavy-duty, bolt-style hinge to withstand the rigors of a busy store. An ADA compliant door handle makes your laundry more accessible and an immediate door unlock at the end of cycle signal will help boost customer turnover.

QUALITY CONSTRUCTION, DURABILITY & LONGEVITY

ExpressWash Washers feature durable AISI-304 stainless steel inner and outer drums designed for constant use. The front, side and top panels are constructed of steel and coated with Continental's unique Titan Steel Finish™ for superior appearance and corrosion resistance. Each component is engineered with as few welds as possible for unmatched strength. From the rounded cabinet corners to the oversized bearings and quality sealing system, no details are overlooked. No wonder ExpressWash is backed by an industry-leading ContinentalCare™ warranty!



EASY INSTALLATION

Unlike hard-mount washers, ExpressWash are simply installed without concrete foundations and bolts. Just slide into place, level and connect utilities. It's possible thanks to the Multi Directional Spring (MDS) system that absorbs 95 percent of the machine's vibrations. The MDS system enables high-speed extraction and expands location possibilities. No longer is store location dependent upon concrete foundation availability.

ExpressWash Washers can be installed in unconventional locations including areas with wood and above ground-level laundries*—all with little or no floor preparation and

cost. Moreover, ExpressWash Washers can be moved easily and many models operate using single-phase power—making installation and operation simpler and less costly.

EASE OF MAINTENANCE

We've simplified maintenance requirements on our ExpressWash line, and simultaneously, improved accessibility to components. The top panel of the washer is easily removed without interfering with detergent dispensers, and the drain is easily accessible via the removal of the front panel. If service is necessary, the entire machine can be pulled away from the bulk head thanks to the washers' freestanding design. Control diagnostics help owners pinpoint machine errors and needed maintenance; bearings are lubricated for a lifetime; the poly-v belt needn't be tightened; and bearings and seals are easily replaced without removing the washer drum.



GAINING THE COMPETITIVE EDGE – SELLING TIME


GET CUSTOMERS IN AND OUT IN 60 MINUTES OR LESS

How? With up to 381 G-force extract, ExpressWash removes considerably more water per load—slashing dry time and resulting gas usage by up to 65 percent when compared with most hard-mount washers. In turn, customers spend less time doing laundry. And, that's what customers want. ExpressWash Washers make it easy for storeowners to cater to customers, while boosting store capacity during peak business periods.

FLEXIBILITY TO BOOST INCOME

Option 1: Catering to Clients with Shorter Dry Times By reducing dry time, your laundry offers the customer a timesaving convenience the competition can't match, and consistent machine availability that brings them back to your store again and again. Moreover, laundries save markedly on utilities!

Option #2: Maintain Lengthier Dry Times = Save Utilities If a storeowner chooses to maintain a longer dry time, ExpressWash Washers will still cut utilities costs. The lengthier dryer setting will simply use less heat to dry the load—slashing gas cost.



CONTINENTAL GIRBAU INC. & GIRBAU GROUP

Continental Girbau Inc. (Continental) was established in 1995 as the North American subsidiary of the commercial laundry equipment manufacturer, Girbau Group, headquartered in Vic, Spain. Family owned, Girbau employs more than 600 people throughout its corporate headquarters in Vic and 15 subsidiaries throughout the world. It markets its industrial and commercial laundry products to more than 90 countries worldwide.

THE TOTAL LAUNDRY SOLUTION

Continental delivers the total laundry solution to vended, on-premise and industrial laundries throughout North America. As the provider of highly-efficient batch tunnel washers, washer-extractors, drying tumblers, feeders, ironers, folders and related machinery, Continental serves the complete laundry production and efficiency needs of virtually any application. Proven durable and reliable, Continental laundry systems are engineered for unrivaled productivity, efficiency and ease of use.

OUR MISSION: YOUR SUCCESS

Continental's mantra – "Our Mission: Your Success" – reflects the company's commitment to its distributors and customers. We offer robust laundry systems backed by unrivaled customer care.

WARRANTY

ExpressWash Washer-Extractors are backed by an industry-leading 10/4/3-year ContinentalCare™ warranty.

CONTINENTALCARE™
BUY WITH COMPLETE CONFIDENCE

3-YR LIMITED PARTS WARRANTY
10-YR KEY COMPONENT WARRANTY
4-YR BEARING LABOR WARRANTY

FINANCING

Financing allows you to retain full ownership of your business and its assets while helping to preserve your cash, liquidity and revolving lines of credit for emergency use, working capital and other investments. Through CustomSelect™ Financing, Continental Girbau offers flexible financing and competitive fixed rates to all qualifying applicants.

ENVIRONMENTALLY FRIENDLY

Continental laundry products meet rigorous environmental and safety standards established by the International Organization for Standardization (ISO). Ever focused on laundry efficiency, Continental Girbau is a member of the U.S. Green Building Council (USGBC), a 501(c)(3) nonprofit that developed the Leadership in Energy and Environmental Design (LEED) Green Building Rating System.



PERFECTLY SUITED FOR YOUR BUSINESS



AquaFall™ provides a cascade-like flow, increasing washing action, reducing cycle time and minimizing water usage. AquaFall uses less water and delivers superior results.



AquaMixer™ further improves wash action by mixing hot and cold water to achieve very precise bath temperatures. This saves energy and reduces wash time!



The Smooth Touch system features deep punched holes without sharp edges. It ensures that linen is treated delicately and aids in water evacuation during the final spin. This results in low residual moisture levels. The drum is constructed of AISI-304 stainless steel.



E-Series Washers are free standing—making installation quick and simple. The MDS system allows spin speeds exceeding 350 G-force. Quiet and stable, MDS absorbs up to 95 percent of vibrations and extends shock absorbers life when compared to other systems.



E-Series Washers have dual safety features. The washer is only active if a closed door and locked door signal have been validated. In each washing cycle the system checks the status (open/closed) of the safety controls.



An exclusive management and communication system – between the inverter, motor and microprocessor – ensures that the whole assembly is properly balanced for a longer life. GDrive works to save energy, while reducing noise, vibration and component fatigue.



ADVANCED ENGINEERING FOR UNRIVALLED EFFICIENCY

	EH020	EH030	EH040	EH055	EH090
DIMENSIONS & WEIGHTS	Capacity lbs (kg)	20 (8)	30 (14)	40 (19)	55 (25)
	Cylinder Diameter inch (mm)	21.1 (536)	24.4 (620)	27.6 (700)	29.1 (740)
	Cylinder Depth inch (mm)	13.8 (351)	16.4 (416)	17.7 (450)	20.9 (530)
	Cylinder Volume cu ft (dm³)	2.8 (79.2)	4.4 (126)	6.1 (173)	8.1 (228)
	Net Weight lbs (kg)	279 (127)	758 (344)	1049 (476)	1601 (726)
	Crated Weight lbs (kg)	301 (137)	820 (372)	1102 (500)	1709 (775)
	Machine Width inch (mm)	27 (685)	31.3 (796)	34.2 (868)	39.4 (1000)
	Machine Depth inch (mm)	27.6 (700)	34.9 (887)	37.9 (962)	48.8 (1240)
	Machine Height inch (mm)	42.5 (1080)	52.2 (1325)	55.3 (1404)	57.9 (1470)
	Door Opening inch (mm)	12.7 (322)	12.9 (327)	16.8 (426)	15.7 (400)
	Floor to Door inch (mm)	15.4 (390)	20 (509)	20.3 (515)	21.1 (535)
	Shipping Dimensions inch (mm) (WxDxH)	28.3 x 29.1 x 47.7 (720 x 740 x 1212)	32.4 x 37.2 x 58.8 (823 x 945 x 1494)	35.3 x 40 x 61.6 (897 x 1017 x 1565)	40.4 x 49.4 x 65 (1025 x 1255 x 1650)
	Washing Speeds rpm	50	48	45	43
	Spin Speeds rpm	50/100/580/690/780/970	99/400/600/800/1005	99/350/550/750/950	87/330/525/725/920
CONNECTIONS	G-force	0.75/3/101/143/183/300	0.75/3/56/125/222/351	0.75/4/48/119/221/354	0.77/3.14/45/114/218/351
	Modified Energy Factor (MEF)*	2.21	2.08	1.96	2.34
	Water Consumption Factor (WCF)*	5.03	4.68	5.04	4.09
	Drain Diameter inch (mm)				
	Pump Drain	1 (25.4)	—	—	—
	Gravity Drain	2 (51)	3 (76)	3 (76)	3 (76)
	Water Inlets inch (mm)	3/4 (19)	3/4 (19)	3/4 (19)	3/4 (19)
	Recommended Water Pressure PSI (bar)	30-60 (2-4)	30-60 (2-4)	30-60 (2-4)	30-60 (2-4)
	Water Flow gal/min (l/min)	8 (30)	16 (60)	16 (60)	16 (60)
	Motor Power kW	0.8	0.87	1.6	1.75

DISTRIBUTED BY:

